


How to manage your UDRP/Court cases and labels

Trademark Clearinghouse
02/10/2020
Version 1.2



Contents

1. Introduction	4
2. Adding UDRP cases.....	5
2.1. Adding a UDRP case and labels.....	5
2.2. Registration page.....	7
2.3. "Review Order" page	8
2.4. Payment page	11
2.5. Validation of UDRP cases and labels	11
2.5.1. Case and label(s) "VERIFIED"	11
2.5.2. Case "INCORRECT"	11
2.5.3. Case "VERIFIED" – label(s) "INCORRECT"	12
2.5.4. Case and/or label "INVALID"	12
2.5.5. Overview of different scenarios	12
3. Adding Court cases	13
3.1. Adding a Court case and labels.....	13
3.2. Registration page.....	14
3.3. "Review Order" page	16
3.4. Payment page	17
3.5. Validation of Court case and labels	18
3.5.1. Case and labels "VERIFIED"	18
3.5.2. Case "INCORRECT"	18
3.5.3. Case "VERIFIED" – label "INCORRECT"	18
3.5.4. Case and/or label "INVALID"	19
3.5.5. Overview of different validation scenarios.....	19
4. Correcting an "INCORRECT" Court/UDRP case and/or label	20
4.1. Correcting cases with status "INCORRECT"	20
4.1.1. Selecting case via the "Case Overview" page	20
4.1.2. Selecting case via the trademark record	20
4.1.3. Editing the information of a case with status "INCORRECT"	21





4.2. Correcting labels with status "INCORRECT"	21
4.2.1. Selecting case via the "Case Overview"	21
4.2.2. Selecting case via the trademark record	22
4.2.3. Correcting the label with status "INCORRECT"	22



1. Introduction

Out of the Clearinghouse implementation discussions, a Strawman solution was proposed to balance and address the concerns of affected stakeholders. This covered the inclusion of domain names previously determined to have been abusively registered (hereinafter “Abused DNL”) in the Clearinghouse to receive Trademark Claims service.

ICANN has requested the Clearinghouse to implement the point of the Strawman model, balance and address the concerns of affected stakeholders. The following guide explains how to add the abused domain name labels and their corresponding UDRP or Court Cases. The following guide will explain how to add the abused domain name labels and their corresponding UDRP or Court cases. For an overview of our UDRP/Court case pricing please refer to the [fee structure](#).

Please note that Abused Domain Name Labels are only valid for the Claims service.



2. Adding UDRP cases

2.1. Adding a UDRP case and labels

After your trademark record has been verified, you will be able to add a UDRP case and the related abused label(s) to the trademark record.

To do so, log into your TMCH account, you will automatically be on tab on the “Mark overview page”. Then, click on the trademark record for which you would like to add the UDRP case and labels and scroll down to the bottom of the page.

Mark overview

Mark	Status	POU	Expiry	Markholder
New Trademark	✓ VERIFIED	NEW	2021-11-18	newtrademark

Click on the “View more details” button next to “UDRP/Court cases and abused label”.

NAME OF THE MARK* New Trademark
 MARK TYPE* Registered Trademark
 STATUS* VERIFIED

Send transfer code ⓘ

By initiating this transfer, all documents related to the mark submission in the TMCH (including, but not limited to, certificate, POU sample & declaration) will be transferred to the management of the new, accepting TM agent. By initiating the transfer, you confirm to be entitled to such transfer of documents.

HANDLE 00022216057100671605710067-1 [View more details](#)

COMMENT

Date & timestamp	Comment number	Comment	Status
Uploaded attachments #1449 Declaration of Proof of use including one single sample			

[View more details](#)

Services

NEW-TRADEMARK	Sunrise flag ⓘ	Claims flag on	TREx disabled
NEWTRADEMARK	Sunrise flag ⓘ	Claims flag on	TREx disabled
SMD FILE	Not available		
ONGOING NOTIFICATION	Active		
BRANDPULSE SERVICE	View report		
COPY NORN TO HOLDER	<input type="button" value="Activate"/>		

Labels [View more details](#)

Variations [View more details](#)

UDRP/Court cases and abused label [View more details](#)



Select "Add UDRP" in order to add a UDRP case. Please note that the type of case can be changed later in the process as well.

Label #167138 testudrp

Services

TESTUDRP	Sunrise flag	Claims flag on
SMD FILE Not available		
ONGOING NOTIFICATION	Active	
COPY NORN TO HOLDER	<input type="button" value="Activate"/>	

Variations

Variations are labels that are non-exact matches with your mark. They will only be used for Ongoing Notifications.

[Which variations are allowed?](#)

[Add more variations before ordering](#)

UDRP/Court cases and abused label

Name	Ref Number/Court Case No.	Status	ULabel
<input type="button" value="Add UDRP"/>	<input type="button" value="Add Court case"/>		



2.2. Registration page

After clicking on “Add UDRP” you will be redirected to the registration page.

UDRP Case / Court case

MARK NAME* New Trademark [Select a different mark](#)

MARK JURISDICTION European Union Intellectual Property Services (EUIPO)

MARK REGISTRATION NUMBER 173784

CASE TYPE* UDRP case ▼

NAME OF THE UDRP PROVIDER* Asian Domain Name Dispute Resolution Centre ▼

REFERENCE NUMBER OF UDRP CASE*

LANGUAGE OF THE DECISION* Afrikaans ▼

Upload attachments (PDF or JPEG)

OTHER DOCUMENT No file chosen

Abused labels*

OPEN SLOTS 50 of 50 (0 of 50 linked to other cases)

A-LABEL

U-LABEL

On the registration page, fill in the mandatory fields (marked with an asterisk) of the case and add the labels. On this page, you will also be able to select the “Case type” you wish to submit.

Please note the following:


- Depending on previous cases, you will have the possibility to add up to 50 labels. If you added a case before, this number will be less. You can check the number of allowed labels by looking at the “Open slots” field (A).
- You can add the labels in “A-label” or “U-label” form. Only the “U-label” will be shown in the overview (B).
- At least 1 label must be added, therefore, do not forget to click on “Click to add this label”, otherwise the label will not be added to your case (C).

After you have filled in the mandatory fields and added the labels, select “Submit” (D). You will now be redirected to the order overview.



Please find below an example of a completed registration form for a UDRP case. As can be seen in the example, the “Open slots” count has been lowered to 46, since 4 abused labels have earlier been added.

UDRP Case / Court case



MARK NAME* Example Mark 2 [select a different mark](#)

MARK JURISDICTION Australia

MARK REGISTRATION NUMBER 5678

CASE TYPE* UDRP case

NAME OF THE UDRP PROVIDER* Asian Domain Name Dispute Resolution Centre

REFERENCE NUMBER OF UDRP CASE* test case

LANGUAGE OF THE DECISION* Afrikaans

Upload attachments (PDF or JPEG)

OTHER DOCUMENT No file chosen

Abused labels*

LABEL 1 LINKED TO CASE	testlabel4 (testlabel4)	<input type="button" value="remove"/>
LABEL 2 LINKED TO CASE	testlabel3 (testlabel3)	<input type="button" value="remove"/>
LABEL 3 LINKED TO CASE	testlabel2 (testlabel2)	<input type="button" value="remove"/>
LABEL 4 LINKED TO CASE	testlabel1 (testlabel1)	<input type="button" value="remove"/>

OPEN SLOTS: 46 of 50 (0 of 50 linked to other cases)

A-LABEL

U-LABEL

2.3. “Review Order” page

On this page you will be able to review and update your order.

- If you wish to add more cases to the trademark record, click on the mark name in the second column (A) of the “Review Order” page. This will redirect you to the trademark record page. You can then follow the steps as described in section [2.1](#) and add a new case. The previous case will be saved on the “Review Order” page.
- If you wish to submit a new trademark record, please click on “Add other mark record” (B).


On this page, you can also remove your order by clicking on the recycle bin.



If you are finished with your order, click on “Submit all for checkout” (C) and you will be redirected to the payment page.



In case you clicked on the trademark name in order to add a new case, please navigate to the bottom of the trademark record and click on “View more details” next to “UDRP/Court cases and abused label”.



After you clicked on the “View more details” button, select “Add UDRP”.



Label #167138 testudrp

Services

TESTUDRP Sunrise flag Claims flag [on](#)

SMD FILE Not available

ONGOING NOTIFICATION Active

COPY NORN TO HOLDER

Variations

Variations are labels that are non-exact matches with your mark. They will only be used for Ongoing Notifications.

[Which variations are allowed ?](#)

[Add more variations before ordering](#)

UDRP/Court cases and abused label

Name	Ref Number/Court Case No.	Status	ULabel
<input type="button" value="Add UDRP"/>	<input type="button" value="Add Court case"/>		

You will then be redirected to the registration form. Please note that the “Open slots” count also considers abused labels added in previous cases.

UDRP Case / Court case

MARK NAME* MARK 1 test test test test [Select a different mark](#)

CASE TYPE* UDRP case

NAME OF THE UDRP PROVIDER* International Institute for Conflict Prevention and Resolution (CPR)

REFERENCE NUMBER OF UDRP CASE* test case

LANGUAGE OF THE DECISION* Afrikaans

Upload attachments (PDF or JPEG)

OTHER DOCUMENT No file chosen

Abused labels*

LABEL 1 LINKED TO CASE testlabel2 (testlabel2)

LABEL 2 LINKED TO CASE testlabel1 (testlabel1)

OPEN SLOTS 41 of 43 (7 of 50 linked to other cases)

A-LABEL

U-LABEL



2.4. Payment page

After clicking on “Submit all for checkout” on the “Review Order” page, you will be redirected to the payment page. Click on “Pay prepaid” (for Agents or Holders with a Prepayment account) or “Pay with credit card” (for Holders) to confirm and pay for your order.

2.5. Validation of UDRP cases and labels

After you have paid for the UDRP case and the labels, you can track the progress of the validation in the “Cases” tab.

Mark	Name	Ref.	Status	U-label
New Trademark	Asian Domain Name Dispute Resolution Centre	test case	NEW	testlabel4

You can expand the U-labels by clicking on the arrow (A) to view all labels related to the case.

2.5.1. Case and label(s) “VERIFIED”

If the case and labels are “VERIFIED”, no further action is needed, and you will have protection for the abused labels during the Claims period of the gTLD. Please refer to section [2.5.5](#) for an example.

2.5.2. Case “INCORRECT”

If the assigned status of the case is “INCORRECT” you will need to change the information provided during the registration of the case as described in the comment of the validator. When clicking on the case (e.g., test case 2 in section [2.5.5](#)) you will be able to edit your case. If the case is assigned to status “INVALID” it cannot be edited anymore. Please refer to section [2.5.5](#) for an example.



2.5.3. Case “VERIFIED” – label(s) “INCORRECT”

If the assigned status of the case is “VERIFIED” but at least one of the labels is “INCORRECT”, you will need to change the information provided during registration of the labels as described in the comment of the validator. You can identify the cases with incorrect labels as they have a red box around the label field. The actual incorrect label(s) are marked in red.

2.5.4. Case and/or label “INVALID”

If the case and/or label is assigned status “INVALID” it cannot be edited anymore. Please refer to section [2.5.5](#) for an example.

2.5.5. Overview of different scenarios

MARKS	SERVICES	CASES	
Case overview			
1 to 10 of 12 rows 10 Disable Pager			
Mark	Name	Ref.	Status
testcourtcas	test court	test court reference	VERIFIED
testcourtcas	test court 2	test court reference	INCORRECT
testcourtcas	test court 3	test court reference	VERIFIED
testcourtcas	test court 4	test court reference	VERIFIED
testcourtcas	test court 5	test court reference	INVALID

U-label	Scenario
testcourtlab3 testcourtlab2 testcourtlab1	Verified case and labels
testcourtlab5 testcourtlab4	Incorrect case
testcourtlab7 testcourtlab6	Verified case and incorrect label
testcourtlab9 testcourtlab8	Verified case and invalid label
testcourtlab11	Invalid case



3. Adding Court cases

3.1. Adding a Court case and labels

After your trademark record is verified, you will be able to add a Court case and the related abused label(s) to the trademark record.

To do so, click on the mark in “Mark Overview” and scroll down to the bottom of the page.

Mark overview

Mark	Status	POU	Expiry	Markholder
testcourtcas	✓ VERIFIED	NEW	2017-05-10	Test

Click on the “View more details” button next to “UDRP/Court cases and abused label”.

NAME OF THE MARK: New Trademark

MARK TYPE: Registered Trademark

STATUS: VERIFIED

Send transfer code [?](#)

By initiating this transfer, all documents related to the mark submission in the TMCH (including, but not limited to, certificate, POU sample & declaration) will be transferred to the management of the new, accepting TM agent. By initiating the transfer, you confirm to be entitled to such transfer of documents.

HANDLE: 00022216057100671605710067-1 [View more details](#)

COMMENT

Date & timestamp	Comment number	Comment	Status
Uploaded attachments #1449 Declaration of Proof of use including one single sample			

[View more details](#)

Services

NEW-TRADEMARK	Sunrise flag ?	Claims flag on	TREx disabled
NEWTRADEMARK	Sunrise flag ?	Claims flag on	TREx disabled
SMD FILE	Not available		
ONGOING NOTIFICATION	Active		
BRANDPULSE SERVICE	View report		
COPY NORN TO HOLDER	<input type="button" value="Activate"/>		

Labels [View more details](#)

Variations [View more details](#)

UDRP/Court cases and abused label [View more details](#)



Select “Add Court case” in order to add a Court case. Please note that the type of case can be changed later in the process as well.

Label #167144 testcourtcas

Services

TESTCOURTCASE Sunrise flag Claims flag [on](#)

SMD FILE Not available

ONGOING NOTIFICATION Active

COPY HORN TO HOLDER

Variations

Variations are labels that are non-exact matches with your mark. They will only be used for Ongoing Notifications. [Which variations are allowed?](#)

[Add more variations before ordering](#)

UDRP/Court cases and abused label

Name	Ref Number/Court Case No.	Status	ULabel
<input type="button" value="Add UDRP"/>	<input type="button" value="Add Court case"/>		

3.2. Registration page

After clicking on “Add Court case” you will be redirected to the registration page.

UDRP Case / Court case

MARK NAME* MARK 1 test test test test [Select a different mark](#)

CASE TYPE* UDRP case

NAME OF THE UDRP PROVIDER* International Institute for Conflict Prevention and Resolution (CPR

REFERENCE NUMBER OF UDRP CASE*

LANGUAGE OF THE DECISION* Afrikaans

Upload attachments (PDF or JPEG)

OTHER DOCUMENT No file chosen

Abused labels*

OPEN SLOTS 43 of 43 (7 of 50 linked to other cases)

A-LABEL

U-LABEL



On the registration page, fill in the mandatory fields (marked with an asterisk) of the case and add the labels. On this page, you will also be able to select the “Case type” you wish to submit.


Please note the following:

- Depending on previous cases, you will have the possibility to add up to 50 labels. If you added a case before, this number will be less. You can check the number of allowed labels by looking at the “Open slots” field (A).
- You can add the labels in “A-label” or “U-label” form. In the overview only the “U-label” will be shown (B).
- At least 1 label must be added, therefore, do not forget to click on “Click to add this label”, otherwise the label will not be added to your case (C).

After you have filled in the mandatory fields and added the labels, select “Submit” (D). You will now be redirected to the order overview.

Please find below an example of a completed registration form for a Court case. As can be seen in the example, the “Open slots” count has been lowered to 41, since 2 abused labels have been added.

UDRP Case / Court case



The screenshot shows a registration form for a UDRP case. The form includes the following fields and sections:

- MARK NAME***: MARK 1 test test test test (with a link to "Select a different mark")
- CASE TYPE***: UDRP case (dropdown menu)
- NAME OF THE UDRP PROVIDER***: International Institute for Conflict Prevention and Resolution (CPR) (dropdown menu)
- REFERENCE NUMBER OF UDRP CASE***: test case (text input)
- LANGUAGE OF THE DECISION***: Afrikaans (dropdown menu)
- Upload attachments (PDF or JPEG)**: OTHER DOCUMENT Choose File No file chosen
- Abused labels***:
 - LABEL 1 LINKED TO CASE: testlabel2 (testlabel2) [remove]
 - LABEL 2 LINKED TO CASE: testlabel1 (testlabel1) [remove]
- OPEN SLOTS**: 41 of 43 (7 of 50 linked to other cases)
- A-LABEL**: [text input]
- U-LABEL**: [text input]
- Click to add this label**: [button]
- SUBMIT**: [button]



3.3. "Review Order" page

On this page you will be able to review and update your order.

- If you wish to add more cases to the trademark record, click on the mark name in the second column (A) of the "Review Order" page. This will redirect you to the trademark record page. You can then follow the steps as described in section [3.1](#) and add a new case. The previous case will be saved on the "Review Order" page.
- If you wish to submit a new trademark record, please click on "Add other mark record" (B).

On this page, you can also remove your order by clicking on the recycle bin.

If you are finished with your order, click on "Submit all for checkout" (C) and you will be redirected to the payment page.



In case you clicked on the mark name in order to add a new case, please navigate to the bottom of the trademark record and select "Add Court case". You will then be redirected to the registration form. Please note that the "Open slots" count also takes into account abused labels added in previous cases.



UDRP Case / Court case

MARK NAME* MARK 1 test test test test [Select a different mark](#)

CASE TYPE* UDRP case ▼

NAME OF THE UDRP PROVIDER* International Institute for Conflict Prevention and Resolution (CPR) ▼

REFERENCE NUMBER OF UDRP CASE* test case

LANGUAGE OF THE DECISION* Afrikaans ▼

Upload attachments (PDF or JPEG)

OTHER DOCUMENT No file chosen

Abused labels*

LABEL 1 LINKED TO CASE testlabel2 (testlabel2)

LABEL 2 LINKED TO CASE testlabel1 (testlabel1)

OPEN SLOTS 41 of 43 (7 of 50 linked to other cases)

A-LABEL

U-LABEL

3.4. Payment page

After clicking on “Submit all for checkout” on the “Review Order” page, you will be redirected to the payment page. Click on “Pay prepaid” (for Agents or Holders with Prepayment) or “Pay with credit card” (for Holders) to confirm and pay your order.

Your order

Type	Label	Duration	Price
court : test courttest court reference		1 Year(s)	
abused_label : test court test court reference	testcourlabel3	1 Year(s)	
abused_label : test court test court reference	testcourlabel2	1 Year(s)	
abused_label : test court test court reference	testcourlabel1	1 Year(s)	
Total			
VAT (15%)			
Total + VAT (15%)			

Upon payment your prepaid account will be credited



3.5. Validation of Court case and labels

After you have paid for the Court case and the labels, you can track the progress of the validation in the “Cases” tab.



You can expand the U-labels by clicking on the arrow (A) to view all labels related to the case.

3.5.1. Case and labels “VERIFIED”


If the case and labels are “VERIFIED”, no further action is needed, and you will have protection for the abused labels during the claims period of the gTLD. Please refer to section [3.5.5](#) for an example of this.

3.5.2. Case “INCORRECT”

If the assigned status of the case is “INCORRECT” you will need to change the information provided during the registration of the case as described in the comment of the validator. When clicking on the case (e.g. test court 2 in section [3.5.5](#)) you will be able to edit your case. If the case is assigned to status “INVALID” it cannot be edited anymore. Please refer to section [3.5.5](#) for an example.

3.5.3. Case “VERIFIED” – label “INCORRECT”

If the assigned status of the case is “VERIFIED” but one, or more, of the labels are “INCORRECT”, you will need to change the information provided during registration of the labels as described in the comment of the validator. You can identify the cases with incorrect labels as they have a red box around the label field. The actual incorrect label(s) are marked in red. If the label is assigned to status “INVALID” it cannot be edited anymore. Please refer to section [3.5.5](#) for an example.



3.5.4. Case and/or label “INVALID”

If the case and/or label is assigned the status “INVALID” it cannot be edited anymore. Please refer to section [3.5.5](#) for an example.

3.5.5. Overview of different validation scenarios

Please find below an overview of the different status types that can be assigned to a case and/or label:

MARKS	SERVICES	CASES			
Case overview					
1 to 10 of 12 rows 10 1 Disable Pager					
Mark	Name	Ref.	Status	U-label	
testcourtcas	test court	test court reference	✓ VERIFIED	testcourtlabe3 testcourtlabe2 testcourtlabe1	Verified case and labels
testcourtcas	test court 2	test court reference	✗ INCORRECT	testcourtlabe5 testcourtlabe4	Incorrect case
testcourtcas	test court 3	test court reference	✓ VERIFIED	testcourtlabe7 testcourtlabe6	Verified case and incorrect label
testcourtcas	test court 4	test court reference	✓ VERIFIED	testcourtlabe9 testcourtlabe8	Verified case and invalid label
testcourtcas	test court 5	test court reference	✗ INVALID	testcourtlabe11	Invalid case



4. Correcting an “INCORRECT” Court/UDRP case and/or label

4.1. Correcting cases with status “INCORRECT”

4.1.1. Selecting case via the “Case Overview” page

To correct cases with the status “INCORRECT” via the “Case Overview” page, please click on the “Cases” tab and select the relevant case name in the “Ref”-column.

Mark	Name	Ref.	Status	U-label
testUDRP	International Institute for Conflict Prevention and Resolution (CPR)	test case	✓ VERIFIED	testlabel3
testUDRP	International Institute for Conflict Prevention and Resolution (CPR)	test case 2	✗ INCORRECT	testlabel5

4.1.2. Selecting case via the trademark record

To correct cases with the status “INCORRECT” via the trademark record, please navigate to the bottom of the trademark record and click on the case in the “UDRP/Court cases and abused label” overview.

Name	Ref Number/Court Case No.	Status	ULabel
test_court_3	test_court_reference	✓ VERIFIED	testlabelcourt3
test_court_2	test_court_reference	✓ VERIFIED	testcourlabel3
test_court_5	test_court_reference	✗ INCORRECT	testcourlabel5
test_court_3	test_court_reference	✓ VERIFIED	testcourlabel2
test_court_4	test_court_reference	✓ VERIFIED	testcourlabel6
test_court_5	test_court_reference	✗ INVALID	testcourlabel11



4.1.3. Editing the information of a case with status “INCORRECT”

After selecting the case, you will be redirected to the UDRP/Court case. Here, you can click on the “Edit” button to update the information that was previously provided.

UDRP Case

NAME OF THE UDRP PROVIDER* International Institute for Conflict Prevention and Resolution (CPR)

REFERENCE NUMBER OF UDRP CASE* test case 2

LANGUAGE OF THE DECISION* English

STATUS* INCORRECT **Edit**

CHANGED 2016-05-10

COMMENTS

LINKED TO MARK* [testUDRP](#)

No documents attached

Labels linked to this case

Alabel	Ulabel	Status	Changed
testlabel5	testlabel5	NEW	2016-05-10
testlabel4	testlabel4	NEW	2016-05-10

[Return to mark](#)

Court case

NAME OF THE COURT* test court 2

COURT DECISION REFERENCE* test court reference

COUNTRY* Afghanistan

LANGUAGE OF THE DECISION* Afrikaans

STATUS* INCORRECT **Edit**

CHANGED 2016-05-10

COMMENTS

LINKED TO MARK* [testcourtcas](#)

Uploaded attachments #83168 Court case document

Labels linked to this case

Alabel	Ulabel	Status	Changed
testcourtlable5	testcourtlable5	NEW	2016-05-10
testcourtlable4	testcourtlable4	NEW	2016-05-10

[Return to mark](#)

After you have made the necessary changes (please make sure to take into account the validator’s comments when updating the information) and submitted the case for revalidation by clicking on the “Update” button, the status of your case will change to “CORRECTED” and will be revalidated.

MARKS SERVICES **CASES**

Case overview


1 to 6 of 6 rows 10 1 Disable Pager

Mark	Name	Ref.	Status	U-label
testUDRP	International Institute for Conflict Prevention and Resolution (CPR)	test case	✓ VERIFIED	testlabel3
testUDRP	International Institute for Conflict Prevention and Resolution (CPR)	test case	✗ CORRECTED	testlabel5

4.2. Correcting labels with status “INCORRECT”

4.2.1. Selecting case via the “Case Overview”

To correct labels with the status “INCORRECT” via the “Case Overview” page, please click on the “Cases” tab and select the relevant case name in the “Ref” column.



MARKS	SERVICES	CASES
-------	----------	-------

Case overview

1 to 6 of 6 rows | 10 | 1 | Disable Pager

Mark	Name	Ref.	Status	U-label
testUDRP	International Institute for Conflict Prevention and Resolution (CPR)	test case	✓ VERIFIED	testlabel3
testUDRP	International Institute for Conflict Prevention and Resolution (CPR)	test case 2	✗ CORRECTED	testlabel5
testUDRP	International Institute for Conflict Prevention and Resolution (CPR)	test case 3	✓ VERIFIED	testlabel7

4.2.2. Selecting case via the trademark record

To correct labels with the status “INCORRECT” via the trademark record, please navigate to the bottom of the trademark record and click on the case with the incorrect label(s) in the “UDRP/Court cases and abused label” overview.

Label #167143 testcourtcas

Services

TESTCOURTCASE Sunrise flag Claims flag on

SMD FILE Not available

ONGOING NOTIFICATION Active

COPY HORN TO HOLDER

Variations

Variations are labels that are non-exact matches with your mark. They will only be used for Ongoing Notifications.

[Which variations are allowed?](#)

[Add more variations before ordering](#)

UDRP/Court cases and abused label

	Name	Ref Number/Court Case No.	Status	ULabel
court#101	test court	test court reference	✓ VERIFIED	testlabelcourt3
court#102	test court	test court reference	✓ VERIFIED	testcourlabel3
court#104	test court 2	test court reference	✗ INCORRECT	testcourlabel5
court#105	test court 3	test court reference	✓ VERIFIED	testcourlabel7
court#106	test court 4	test court reference	✓ VERIFIED	testcourlabel9
court#107	test court 5	test court reference	✗ INVALID	testcourlabel11

4.2.3. Correcting the label with status “INCORRECT”

You will then be redirect to the UDRP/Court case. Here you can click on the incorrect label to update the information previously provided.



UDRP Case

NAME OF THE UDRP PROVIDER* International Institute for Conflict Prevention and Resolution (CPR)
 REFERENCE NUMBER OF UDRP CASE* test case 3
 LANGUAGE OF THE DECISION* English
 STATUS* VERIFIED
 CHANGED 2016-05-10
 COMMENTS
 LINKED TO MARK* [testUDRP](#)

No documents attached

Labels linked to this case

Alabel	Ulabel	Status	Changed
testlabel7	testlabel7	VERIFIED	2016-05-10
testlabel6	testlabel6	INCORRECT	2016-05-10

[Return to mark](#)

Court case

NAME OF THE COURT* test court 3
 COURT DECISION REFERENCE* test court reference
 COUNTRY* Afghanistan
 LANGUAGE OF THE DECISION* Afrikaans
 STATUS* VERIFIED
 CHANGED 2016-05-10
 COMMENTS
 LINKED TO MARK* [testcourtcas](#)

Uploaded attachments #83169 Court case document

Labels linked to this case

Alabel	Ulabel	Status	Changed
testcourtcas	testcourtcas	INCORRECT	2016-05-10
testcourtcas6	testcourtcas6	VERIFIED	2016-05-10

[Return to mark](#)

Update the information related to the incorrect label(s) (please make sure to consider the validator’s comments when updating your information). Following this, you can click on the “Update” button.

NAME OF THE UDRP PROVIDER* International Institute for Conflict Prevention and Resolution (CPR)
 REFERENCE NUMBER OF UDRP CASE* test case 3
 LANGUAGE OF THE DECISION* English
 STATUS* VERIFIED
 CHANGED 2016-05-10
 COMMENTS
 LINKED TO MARK* [testUDRP](#)
 MARK JURISDICTION United States of America
 MARK REGISTRATION NUMBER 1234

No documents attached

LABEL #935
 LABEL #936

UPDATE

NAME OF THE COURT* test court 3
 COURT DECISION REFERENCE* test court reference
 COUNTRY* AF
 LANGUAGE OF THE DECISION* Afrikaans
 STATUS* VERIFIED
 CHANGED 2016-05-10
 COMMENTS
 LINKED TO MARK* [testcourtcas](#)
 MARK JURISDICTION United States of America
 MARK REGISTRATION NUMBER 1234

Uploaded attachments #83169 Court case document

LABEL #933
 LABEL #934

UPDATE

The status of the updated label will be “CORRECTED” and the updated label(s) will be revalidated.



NAME OF THE UDRP PROVIDER: International Institute for Conflict Prevention and Resolution (CPR)
 REFERENCE NUMBER OF UDRP CASE: test case 3
 LANGUAGE OF THE DECISION: English
 STATUS: VERIFIED
 CHANGED: 2016-05-10
 COMMENTS:
 LINKED TO MARK: [testUDRP](#)

No documents attached

Labels linked to this case

Alabel	Ulabel	Status	Changed
testlabel:	testlabel:	VERIFIED	2016-05-10
testlabel\$ew	testlabel\$ew	CORRECTED	2016-05-10

[Return to mark](#)

